
Printing date 21.08.2017

Version number 5

Revision: 21.08.2017



Printing date 21.08.2017

Version number 5

Revision: 21.08.2017

Trade name: Eurosept Plus Orange Solvent 250 ml

Hazard pictogr	(Contd. of page		
nazara piciogra	ums		
<u>く ゆうく</u> !			
	$/ \vee \vee$		
GHS02 GHS	S07 GHS08 GHS09		
Signal word Da	inger		
Hazard-determ	ining components of labelling:		
Orange juice oi	1		
propan-2-ol			
Hazard statements			
	ammable liquid and vapour.		
H315 Causes sk			
	H319 Causes serious eye irritation.		
	e an allergic skin reaction.		
	e drowsiness or dizziness.		
	ital if swallowed and enters airways.		
	c to aquatic life with long lasting effects.		
Precautionary :			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. N smoking.		
P280	Wear protective gloves / eye protection.		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/-		
P302+P352	IF ON SKIN: Wash with plenty of water/Seife		
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,		
	present and easy to do. Continue rinsing.		
P331	Do NOT induce vomiting.		
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.		
2.3 Other hazar	rds		
Results of PBT	and vPvB assessment		
PBT: Not appli	cable.		

• *PB1*: Not applicable. • *vPvB*: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	Orange juice oil	25-50%
EINECS: 232-433-8	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317	
	propan-2-ol	25-50%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
• Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

*

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

Printing date 21.08.2017

Version number 5

Revision: 21.08.2017

(Contd. of page 2)

Trade name: Eurosept Plus Orange Solvent 250 ml

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• *After swallowing:* Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

• For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

- Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

GB

Printing date 21.08.2017

Version number 5

Revision: 21.08.2017

Trade name: Eurosept Plus Orange Solvent 250 ml

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:** Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:
- PVC or PE gloves
- As protection from splashes gloves made of the following materials are suitable:
- Butyl rubber, BR Nitrile rubber, NBR

Eve protection:



Tightly sealed goggles

(Contd. on page 5)

(Contd. of page 3)

Printing date 21.08.2017

Version number 5

Revision: 21.08.2017

Trade name: Eurosept Plus Orange Solvent 250 ml

(Contd. of page 4)

9.1 Information on basic physical and c	hemical properties
General Information	F F F F F F F F F F F F F F F F F F F
Appearance:	
Form:	Fluid
Colour:	Clear
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	
Flash point:	13 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
Explosion limits:	
Lower:	2.0 Vol %
Upper:	12.0 Vol %
Vapour pressure at 20 °C:	43 hPa
Density at 20 °C:	0.81 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Partly miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100 %
VÕC (EC)	100 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

*

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

GB

Printing date 21.08.2017

Version number 5

Revision: 21.08.2017

Trade name: Eurosept Plus Orange Solvent 250 ml

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 5)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause drowsiness or dizziness.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

- · Aspiration hazard
- May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:
- Also poisonous for fish and plankton in water bodies.
- Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

GB (Contd. on page 7)

Printing date 21.08.2017

Version number 5

Revision: 21.08.2017

Trade name: Eurosept Plus Orange Solvent 250 ml

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue	
	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL
	AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 13*	solvents

• Uncleaned packaging:

*

• *Recommendation: Disposal must be made according to official regulations.*

ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name ADR	1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANO (ISOPROPYL ALCOHOL), ORANGE TERPENE ENVIRONMENTALLY HAZARDOUS
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANO (ISOPROPYL ALCOHOL), Orange juice oil)
14.3 Transport hazard class(es)	
ADR	
Class Label	3 Flammable liquids. 3
Class Label	3 Flammable liquids. 3
Lavei	5
14 4 Dusting sugar	
	11
14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards:	II
ADR, IMDĞ, IATA 14.5 Environmental hazards: Marine pollutant:	No
ADR, IMDĞ, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR):	No Symbol (fish and tree)
ADR, IMDĞ, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): 14.6 Special precautions for user	No Symbol (fish and tree) Warning: Flammable liquids.
ADR, IMDĞ, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR):	No Symbol (fish and tree)

Printing date 21.08.2017

Version number 5

Revision: 21.08.2017

Trade name: Eurosept Plus Orange Solvent 250 ml

(Contd. of page 7
E2
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
2
D/E
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN1993, FLAMMABLE LIQUID, N.O.S
(ISOPROPANOL (ISOPROPYL ALCOHOL), ORANGI
TERPENE), ENVIRONMENTALLY HAZARDOUS, 3, II

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008 GHS label elements

· Directive 2012/18/EU

• Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

 $(Contd. \ on \ page \ 9)$

GB

Printing date 21.08.2017

Version number 5

Revision: 21.08.2017

(Contd. of page 8)

Trade name: Eurosept Plus Orange Solvent 250 ml

CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
• * Data compared to the previous version altered.

GB -