

Henry Schein SafeSept Max Surface Disinfection Wipes (including variants)

Revision date: 06.12.2016

Revision No: 1,0

00320-0099-HS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Henry Schein SafeSept Max Surface Disinfection Wipes (including variants)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Tissues for disinfection (ready for use)

1.3. Details of the supplier of the safety data sheet

Company name: Henry Schein Services GmbH
Street: Monzastraße 2a
Place: 63225 Langen, GERMANY
Telephone: +49 (0) 6103 - 757 5000
Telefax: +49 (0) 8000 - 404444
e-mail: cbdeurope@henryschein.com
Internet: www.henryscheinbrand.com
Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone number:

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24
24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories:
Flammable solid: Flam. Sol. 2
Hazard Statements:
Flammable solid.

2.2. Label elements

Signal word:

Warning

Pictograms:



Hazard statements

H228 Flammable solid.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container to approved disposal company or local collection.

2.3. Other hazards

Inhalation of vapours in high concentration can cause narcotic effects.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Clothes impregnated with alcoholic disinfectant

Henry Schein SafeSept Max Surface Disinfection Wipes (including variants)

Revision date: 06.12.2016

Revision No: 1,0

00320-0099-HS

Hazardous components

| CAS No | Chemical name | | | Quantity |
|---------|---|--------------|------------------|----------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | |
| 64-17-5 | Ethanol | | | < 50 % |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H319 | | | |

Full text of H and EUH statements: see section 16.

Further Information

Specific concentration limits

Ethanol

C > 50% => H319

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

In the event of symptoms refer for medical treatment.

After contact with skin

No special measure necessary.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If eye irritation persists, consult a specialist.

After ingestion

Rinse mouth.

Do not induce vomiting.

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation.

May cause irritation of the mucous membranes.

Inhalation of vapours in high concentration can cause narcotic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Alcohol-resistant foam, dry chemical, carbon dioxide (CO₂), water-spray.**Unsuitable extinguishing media**

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

Irritant/corrosive, flammable as well as toxic distillation gases (carbonization gases).

5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

Additional information

Vapours are heavier than air and spread along ground.

The vapour/air mixture is explosive, even in empty, uncleaned receptacles.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local

Henry Schein SafeSept Max Surface Disinfection Wipes (including variants)

Revision date: 06.12.2016

Revision No: 1,0

00320-0099-HS

regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.
 Avoid contact with skin, eyes and clothing.
 Ensure adequate ventilation.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Take up mechanically and collect in suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).
 Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with eyes.
 Use only in thoroughly ventilated areas.

Advice on protection against fire and explosion

Do not smoke - volatile.
 Keep away from open flames, hot surfaces and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.
 Protect against direct sun radiation.

Advice on storage compatibility

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Tissues for disinfection (ready for use)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|---------|-----------|------|-------------------|-----------|---------------|--------|
| 64-17-5 | Ethanol | 1000 | 1920 | | TWA (8 h) | WEL |
| | | - | - | | STEL (15 min) | WEL |

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Do not inhale vapours.
 Wash hands before breaks and at the end of workday.
 When using do not eat, drink or smoke.
 Remove and wash contaminated clothes before re-use.

Eye/face protection

Safety goggles (EN 166).

Henry Schein SafeSept Max Surface Disinfection Wipes (including variants)

Revision date: 06.12.2016

Revision No: 1,0

00320-0099-HS

Hand protection

Also suitable are gloves made of:

Polychloropren - CR (0,5 mm): Breakthrough time > 8 h

Nitrile rubber/nitrile latex - NBR (0,35 mm): Breakthrough time > 8 h

Butyl rubber - Butyl (0,5 mm): Breakthrough time > 8 h

Fluoro-rubber - FKM (0.4 mm): Breakthrough time > 8 h

Polyvinyl chloride - PVC (0.5 mm): Breakthrough time > 8 h

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (EN 368).

Respiratory protection

No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|-----------------|----------------------------------|
| Physical state: | Non-woven fabric, impregnated |
| Colour: | Various, depending on coloration |
| Odour: | Alcoholic |

| | | |
|----------------------|-------|----|
| pH-Value (at 20 °C): | 6 - 8 | *) |
|----------------------|-------|----|

Changes in the physical state

| | | |
|--|---------------|----|
| Initial boiling point and boiling range: | approx. 85 °C | *) |
|--|---------------|----|

| | | |
|--------------|---------------|----|
| Flash point: | approx. 25 °C | *) |
|--------------|---------------|----|

| | | |
|-------------------------|------------|----|
| Lower explosion limits: | 3,4 vol. % | *) |
|-------------------------|------------|----|

| | | |
|-------------------------|--|----|
| Upper explosion limits: | | *) |
|-------------------------|--|----|

| | | |
|-----------------------|----------|----|
| Ignition temperature: | > 425 °C | *) |
|-----------------------|----------|----|

| | | |
|----------|---------------------------------|----|
| Density: | approx. 0,932 g/cm ³ | *) |
|----------|---------------------------------|----|

| | | |
|------------------|--------|--|
| Solvent content: | < 50 % | |
|------------------|--------|--|

9.2. Other information

*) All data refer to the solution

SECTION 10: Stability and reactivity**10.1. Reactivity**

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

Heating can release vapours which can be ignited.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

Irritant/corrosive, flammable as well as toxic distillation gases (carbonization gases).

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Henry Schein SafeSept Max Surface Disinfection Wipes (including variants)

Revision date: 06.12.2016

Revision No: 1,0

00320-0099-HS

Based on available data, the classification criteria are not met.
No toxicological data available.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Contact with eyes may cause irritation.

May cause irritation of the mucous membranes.

Inhalation of vapours in high concentration can cause narcotic effects .

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

Skin compatibility of this product proved with dermatological certificate.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

No data available.

Ethanol: Readily biodegradable (to OECD criteria).

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Low hazard to waters.

Further information

Do not discharge into surface waters/groundwater.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Henry Schein SafeSept Max Surface Disinfection Wipes (including variants)

Revision date: 06.12.2016

Revision No: 1,0

00320-0099-HS

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3175
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)
14.3. Transport hazard class(es): 4.1
14.4. Packing group: II
 Hazard label: 4.1



Classification code: F1
 Limited quantity: 1 kg / 30 kg
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 40
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 3175
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)
14.3. Transport hazard class(es): 4.1
14.4. Packing group: II
 Hazard label: 4.1



Classification code: F1
 Limited quantity: 1 kg / 30 kg
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 3175
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)
14.3. Transport hazard class(es): 4.1
14.4. Packing group: II
 Hazard label: 4.1



Marine pollutant: No
 Limited quantity: 1 kg / 30 kg
 Excepted quantity: E2
 EmS: F-A, S-I

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3175
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)
14.3. Transport hazard class(es): 4.1
14.4. Packing group: II

Henry Schein SafeSept Max Surface Disinfection Wipes (including variants)

Revision date: 06.12.2016

Revision No: 1,0

00320-0099-HS

Hazard label:

4.1



Limited quantity Passenger:

5 kg

Passenger LQ:

Y441

Excepted quantity:

E2

IATA-packing instructions - Passenger:

445

IATA-max. quantity - Passenger:

15 kg

IATA-packing instructions - Cargo:

448

IATA-max. quantity - Cargo:

50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

no

14.6. Special precautions for user

Take the usual precautions when handling with chemicals.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC):

45 % (*) All data refer to the solution)

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):

1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

Henry Schein SafeSept Max Surface Disinfection Wipes (including variants)

Revision date: 06.12.2016

Revision No: 1,0

00320-0099-HS

H228 Flammable solid.
H319 Causes serious eye irritation.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)