

Henry Schein SafeSept Max Surface Disinfection (including variants) Revision date: 11.01.2017 Revision No: 1.1

Revision date: 11.01.2017 00320-0101-HS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Henry Schein SafeSept Max Surface Disinfection (including variants)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Disinfectant cleaning agent

1.3. Details of the supplier of the safety data sheet

Company name:	Henry Schein Services GmbH
Street:	Monzastraße 2a
Place:	63225 Langen, GERMANY
Telephone:	+49 (0) 6103 - 757 5000
Telefax:	+49 (0) 8000 - 404444
e-mail:	cbdeurope@henryschein.com
Internet:	www.henryscheinbrand.com
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de
<u>1.4. Emergency telephone</u> number:	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories: Flammable liquid: Flam. Liq. 3 Hazard Statements: Flammable liquid and vapour.

2.2. Label elements

Signal word: Pictograms: Warning



Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

i i coudionary state	linento
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P233	Keep container tightly closed.
P260	Do not breathe vapour.
P271	Use only outdoors or in a well-ventilated area.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P501	Dispose of contents/container to approved disposal company or local collection.

2.3. Other hazards

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Alcoholic solution



Revision date: 11.01.2017 Revision No: 1,1 00320-0101-HS

Hazardous components

CAS No	Chemical name			Quantity
	EC No	EC No Index No REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64-17-5	Ethanol		< 50 %	
	200-578-6	200-578-6 603-002-00-5 01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2	2; H225 H319	•	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours. In the event of symptoms refer for medical treatment.

After contact with skin

Wash with water and soap as a precaution.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

After ingestion

Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. Summon a doctor immediately. Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

Watch out. Beware, hazard of foam aspiration. Contact with eyes may cause irritation. Inhalation of vapours in high concentration can cause narcotic effects. May cause irritation of the mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce: carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

Additional information

Vapours are heavier than air and spread along ground.

The vapour/air mixture is explosive, even in empty, uncleaned receptacles.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Revision date: 11.01.2017 Revision No: 1,1 00320-0101-HS

uding variants)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator. Ensure adequate ventilation. Use personal protective clothing. Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion

Do not smoke - volatile. Do not spray on a naked flame or any other incandescent material.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Disinfectant cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Do not inhale vapours.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

Eye/face protection

If used properly, no need to wear eye protection. Otherwise wear protective goggles with integrated





Revision date: 11.01.2017 00320-0101-HS

side shields.

Hand protection

Also suitable are gloves made of: Polychloropren - CR (0,5 mm): Breakthrough time > 4 h Nitrile rubber/nitrile latex - NBR (0,35 mm): Breakthrough time > 4 h Butyl rubber - Butyl (0,5 mm): Breakthrough time > 8 h Fluoro-rubber - FKM (0.4 mm): Breakthrough time > 8 h Polyvinyl chloride - PVC (0.5 mm): Breakthrough time > 4 h This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Revision No: 1.1

Skin protection

Long sleeved clothing (EN 368).

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Various, depending on coloration
Odour:	Alcoholic
pH-Value (at 20 °C):	6 - 8
Changes in the physical state	
Melting point:	< - 10 °C
Initial boiling point and boiling range:	approx. 85 °C
Flash point:	24 °C
Lower explosion limits:	3,4 vol. %
Upper explosion limits:	
Ignition temperature:	> 425 °C
Density (at 20 °C):	approx. 0,932 g/cm ³
Water solubility:	Miscible
(at 20 °C)	50 0/
Solvent content:	< 50 %
9.2. Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming. Heating can release vapours which can be ignited.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide

Revision date: 11.01.2017 Revision No: 1,1 00320-0101-HS



SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

Ethanol

LD50/oral/rat: 6200 mg/kg LC50/inhalation/rat: 95,6 mg/l/4 h

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Contact with eyes may cause irritation. Inhalation of vapours in high concentration can cause narcotic effects. Components of the product may be absorbed into the body through the skin. May cause irritation of the mucous membranes.

Further information

Skin compatibility of this product proved with dermatological certificate.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

No data available. Ethanol: Readily biodegradable (to OECD criteria).

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Low hazard to waters.

Further information


Product is not allowed to discharge into the ground water or aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Revision date: 11.01.2017 00320-0101-HS

Revision No: 1.1



070601

Where possible recycling is preferred to disposal. Can be incinerated, when in compliance with local regulations.

Waste disposal number of waste from residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors Classified as hazardous waste.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	Ш
Hazard label:	3
	3
Classification code:	F1
Limited quantity:	5 L / 30 kg
Excepted quantity:	E1
Transport category:	3
Hazard No: Tunnel restriction code:	30 D/E
	DIE
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)
<u>14.3. Transport hazard class(es):</u>	3
14.4. Packing group:	111
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L / 30 kg
Excepted quantity:	E1
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Marine pollutant:	No





Revision No: 1.1

Revision date: 11.01.2017 00320-0101-HS

Limited quantity:	5 L / 30 kg		
Excepted quantity: EmS:	E1 F-E, S-D		
	г-е, 3-D		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	UN 1987		
14.2. UN proper shipping name:	ALCOHOLS,	N.O.S. (Ethanol)	
14.3. Transport hazard class(es):	3		
14.4. Packing group:	III		
Hazard label:	3		
Limited quantity Passenger:	10 L		
Passenger LQ:	Y344		
Excepted quantity:	E1		
IATA-packing instructions - Passenger:		355	
IATA-max. quantity - Passenger:		60 L	
IATA-packing instructions - Cargo:		366	
IATA-max. quantity - Cargo:		220 L	
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	no		
14.6. Special precautions for user			
Take the usual precautions when handling	with chemicals.		
14.7. Transport in bulk according to Ann	ex II of Marpol an	d the IBC Code	
The transport takes place only in approved	and appropriate p	backaging.	

EU regulatory information 45 % National regulatory information 5% Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Water contaminating class (D): 1 - slightly water contaminating 15.2. Chemical safety assessment 5%

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

Revision date: 11.01.2017 Revision No: 1,1 00320-0101-HS



GHS = Globally Harmonized System of Classification and Labelling of Chemicals REACH = Registration, Evaluation, Authorization and Restriction of Chemicals CAS = Chemical Abstract Service EN = European norm ISO = International Organization for Standardization DIN = Deutsche Industrie Norm PBT = Persistent Bioaccumulative and Toxic vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)